

copy

LEE COUNTY, FLORIDA
PROPOSAL QUOTE FORM
FOR THE PURCHASE OF
BULK HYDROFLUOSILIC ACID 23%

DATE SUBMITTED: 3-8-2006

VENDOR NAME: THE DUNN CO. INC.

TO: The Board of County Commissioners
Lee County
Fort Myers, Florida

Having carefully examined the "General Conditions", and the "Detailed Specifications", all of which are contained herein, the Undersigned proposes to furnish the following which meet these specifications:

The undersigned acknowledges receipt of Addenda numbers:

MA

HYDROFLUOSILIC ACID 23%

Specify product name Fronite \$ 1.69 /US gal.

MINIMUM ORDER QUANTITY: NO MINIMUM

TO BE DELIVERED WITHIN 3-5 CALENDAR DAYS AFTER RECEIPT OF AWARD AND PURCHASE ORDER.

Quoters should carefully read all the terms and conditions of the specifications. Any representation of deviation or modification to the quote may be grounds to reject the quote.

Are there any modifications to the quote or specifications?

Yes _____ No X

Failure to clearly identify any modifications in the space below or on a separate page may be grounds for the quoter being declared nonresponsive or to have the award of the quote rescinded by the County.

MODIFICATIONS:

Quoter shall submit his/her quote on the County's Proposal Quote Form, including the firm name and authorized signature. Any blank spaces on the Proposal Quote Form, qualifying notes or exceptions, counter offers, lack of required submittals, or signatures, on County's Form may result in the Quoter/Quote being declared non-responsive by the County.

ANTI-COLLUSION STATEMENT

THE BELOW SIGNED QUOTER HAS NOT DIVULGED TO, DISCUSSED OR COMPARED HIS QUOTE WITH OTHER QUOTERS AND HAS NOT COLLUDED WITH ANY OTHER QUOTER OR PARTIES TO A QUOTE WHATSOEVER. NOTE; NO PREMIUMS, REBATES OR GRATUITIES TO ANY EMPLOYEE OR AGENT ARE PERMITTED EITHER WITH, PRIOR TO, OR AFTER ANY DELIVERY OF MATERIALS. ANY SUCH VIOLATION WILL RESULT IN THE CANCELLATION AND/OR RETURN OF MATERIALS (AS APPLICABLE) AND THE REMOVAL FROM THE MASTER BIDDERS LIST.

FIRM NAME: The Dumont Co, Inc.
 BY (Printed): Ronald H. Cartwright
 BY (Signature): [Signature]
 TITLE: PRESIDENT
 FEDERAL ID # OR S.S.# 05-0456122
 ADDRESS: 812 Eyrie Dr.
Quincy, FL 32765
 PHONE NO.: 407-365-8222
 FAX NO.: 407-365-9004
 CELLULAR PHONE/PAGER NO.: 405-509-4061

LEE COUNTY OCCUPATIONAL LICENSE NUMBER: 030111
 E-MAIL ADDRESS: Ron.Cartwright@DumontChemicals.com

REVISED: 7/28/00

**LEE COUNTY, FLORIDA
DETAILED SPECIFICATIONS FOR
THE PURCHASE OF
BULK HYDROFLUOSILIC ACID 23%**

SCOPE

The purpose of this quotation is to solicit prospective bidders to furnish and deliver bulk hydrofluosilic acid 23% on an annual basis for use at Lee County Utilities.

TERM OF QUOTE

This quote shall be in effect for one year, or until new quotes are taken and awarded. This quote (or any portion thereof) has the option of being renewed for four additional one-year periods, upon mutual agreement of both parties, under the same terms and conditions.

DELIVERY REQUIREMENTS

Quotes are to be based on firm prices delivered F.O.B., as directed to the locations specified herein, Lee County, Florida.

The County reserves the right to add or delete delivery sites at its discretion at anytime throughout the term of this quote.

Delivery driver must present a photo I.D. upon delivery. The I.D. must show that the driver is an employee of either the trucking company or the awarded vendor. All personnel making deliveries must wear the appropriate personal protective equipment (PPE as required by the MSDS).

Lee County Utilities reserves the right to refuse a delivery if that delivery is not in the proper timeframe; the vendor has improper equipment to offload the delivery; and/or is taking improper safety precautions or has malfunctioning equipment.

BASIS OF AWARD

The basis of award for this quote will be the low quoter meeting specifications.

SUBMITTALS

Vendor must have written proof of conformance as required in technical specifications.

*Written
Proof
of
Conformance*

NATIONAL RESPONSE CENTER

The bidder shall provide a detailed listing of all accidents, incidents, releases, spills, and National Response Center notifications ("safety incidents") for all chemicals it delivers or manufacturers for the past five (5) years.

The bidder shall also provide the names of any customers where its contract was terminated early (e.g., debarred) for safety, quality, or service issues for any product it supplies over the past five years. Failure to disclose references, terminations, or safety incidents will result in Bidder being disqualified from bidding on this product.

For purposes of this Bid, the term "Bidder" shall be defined as the vendor submitting the proposal and shall include all subsidiaries, affiliates, and subcontractors. As such, any requested documentation shall apply to all subsidiaries and affiliated companies as well as any subcontractors. In the event that a vendor is using a subcontractor to either manufacture or deliver the product, the requested items (e.g., references, terminations, and safety incidents) shall apply to the subcontractor as well.

Safety incidents
early contract termination
vendor's subcontractor

MINIMUM ORDER QUANTITIES

On the Proposal Quote Form vendors must specify the minimum order quantity their firm requires for delivery. If Lee County requires less than the minimum order quantity stated by the awarded vendors on the Proposal Quote Form, Lee County reserves the right to purchase the material elsewhere.

PRICE ESCALATION

If the awarded vendor(s) experiences a major price increase from suppliers for items in this quotation, the vendor may submit a written request to increase pricing. All information necessary to review and analyze the request must be submitted to Lee County Purchasing. Lee County shall have the right to grant the price increase, or quote, at the County's sole discretion. Should prices decrease, the same procedure shall apply.

QUANTITY PRICE BREAKS

If your firm can offer quantity price breaks to Lee County on the item listed, specify item, quantity breaks and pricing on company letterhead. The prices offered on the Proposal Quote Form will form the basis of award.

TRAINING SESSIONS

The awarded supplier will be required to provide, at no additional cost to the County, two 4-hour training sessions each year, that meet the federal and state safety and right to know training requirements. The education and instruction of the County's operations personnel shall be by a qualified instructor familiar with the safe handling practices

training sessions
Vendor to provide
that be
with the
will comply
Supplier

associated with the chemical being discussed. Session dates, times and course outlines should be submitted by the supplier as part of their bid package, and approved by the County. Failure to provide this service will be considered a default of the contract. The awarded vendor(s) shall be required to provide a letter certifying that the course outline meets the requirements listed above.

The training sessions will be held in one central location in Lee County which will be determined by Lee County Utilities. The awarded suppliers will be responsible for travel, lodging, meals and training materials costs.

SAFETY

The supplier's truck must be equipped to safely handle and unload product/products.

DESIGNATED CONTACT

The awarded vendor shall appoint a person or persons to act as a primary contact for all County departments. This person or back-up shall be readily available during normal work hours by phone or in person, and shall be knowledgeable of the terms and procedures involved.

CONTRACT

A purchase order will serve as the contract. If your firm will require Lee County to sign a contract of any type, please include that contract with your quotation.

ADDITIONAL REQUIREMENTS

✓
MSDS

Vendors must provide MSDS sheets for all products to be provided, prior to startup of this contract.

Vendors agree to conform to any and all State and Federal regulations pertaining to chemicals, and to assist Lee County in doing so (Chapter 442 F.S.).

✓
NSF

All Chemicals must be approved by the National Sanitation Foundation as applicable. **Please provide written proof with your quote package.**

All products shall be provided exactly as specified. Any variations will not be accepted.

SUMMARY REPORTS

Upon completion of each six-month period of the quote, the awarded vendor(s) shall be responsible for furnishing a summary report to Purchasing. This report shall include the previous six months history, showing at a minimum, the following information:

- 1) Total dollars expended per item,
- 2) Total quantity of each item purchased.

MAJOR BREAKDOWNS/NATURAL DISASTERS

Lee County requires that the awarded vendor provide the name of a contact person and phone number which will afford Lee County access twenty-four hours per day, 365 days per year, of this product or service in the event of major breakdowns or natural disasters.

Lee County reserves the right to purchase the product or service listed in this quotation elsewhere in an emergency situation.

TECHNICAL SPECIFICATIONS

HYDROFLUOSILIC ACID 23%

AWWA Standard B703-00 or the latest edition

A. Description

Liquid, water white to straw yellow, with pungent odor.

B. Physical Properties

1. Must be clean and free of visible suspended matter
2. Contain between 20% and 30% hydrofluosilicic acid
3. Maximum dosage of 1.2 mg/L fluoride ion.

C. Packaging

Bulk; Packaging and shipping of all hydrofluosilicic acid solutions shall conform to all applicable local, state, and federal including US DOT regulations and applicable interstate regulations. Unloading shall be through a 2" quick coupling fitting on the tank. Hoses for delivering from the tanker to the bulk tank shall be the responsibility of the awarded vendor.

D. Delivery Locations

Corkscrew Water Treatment Plant
16101 Alico Road
Estero, FL 33913
Hawes

Phone: (239)267-8228
Fax (239)267-8268
Contact Person: John Gibson

Olga WTP
1450 Werner Drive
Alva, FL 33920

Phone: (239) 694-4038
Fax: (239) 694-2370
Contact Person: Lenny Sword

North Lee County RO Water Plant
18250 Durance Road
North Fort Myers, Fl 33917

Phone: (239) 567-2181 ext 225
Fax: (239) 567-2184
Contact Person: Richard Hawes

E. Amount – Estimated usage annually – 20,000 gallons

F. Delivery Time

Shipments will be FOB Destination, and received between the hours of **8:00 AM And 4:00 PM, Monday through Friday**, within five (5) working days after verbal receipt of the order from Lee County Utilities.

G. Delivery Amounts/Requirements

Olga WTP

min/max 500 to 1,200 gallons per delivery, 80 feet of hose required

Corkscrew WTP

min/max 500 to 1,200 gallons per delivery, 20 feet of hose required

North Lee County RO WTP

Min/max 300 to 800 gallons per delivery, 60 feet of hose required

HAZARDOUS MATERIALS HAULERS

1. Minimum Insurance Requirements: Risk Management in no way represents that the insurance required is sufficient or adequate to protect the vendor's interest or liabilities, but are merely minimums.
 - a. Workers' Compensation - Statutory benefits as defined by FS 440 encompassing all operations contemplated by this contract or agreement to apply to all owners, officers, and employees regardless of the number of employees. Individual employees may be exempted per State Law. Employers' liability will have minimum limits of:
 - \$500,000 per accident
 - \$500,000 disease limit
 - \$500,000 disease limit per employee
 - b. Commercial General Liability - Coverage shall apply to premises and/or operations, products and/or completed operations, independent contractors, contractual liability, and broad form property damage exposures with minimum limits of:
 - \$1,000,000 bodily injury per person (BI)
 - \$2,000,000 bodily injury per occurrence (BI)
 - \$1,000,000 property damage (PD) or
 - \$2,000,000 combined single limit (CSL) of BI and PD
 - c. Business Auto Liability - The following Automobile Liability will be required and coverage shall apply to all owned, hired and non-owned vehicles use with minimum limits of:
 - \$1,000,000 bodily injury per person (BI)
 - \$2,000,000 bodily injury per occurrence (BI)
 - \$1,000,000 property damage (PD) or
 - \$2,000,000 combined single limit (CSL) of BI and PD
 - d. Pollution Liability - Covering a transporter moving hazardous products or waste as cargo aboard the transporter's truck:
 - \$1,000,000 bodily injury / property damage/ cleanup, including wrongful delivery.

***The required limit of liability shown in Insurance Requirements item: 1.a; 1.b; 1.c; 1. d; may be provided in the form of "Excess" or "Commercial Umbrella Insurance Policies." In which case, a "Following Form Endorsement" will be required on the "Excess Insurance Policy" or "Commercial Umbrella Policy."**

2. Verification of Coverage:

a. Ten (10) days prior to the commencement of any work under the contract a certificate of insurance will be provided to the Risk Manager for review and approval. The certificate shall provide for the following:

1. **"Lee County, a political subdivision and Charter County of the State of Florida, its agents, employees, and public officials@ will be named as an "Additional Insured" on the General Liability policies.**

2. Lee County will be given thirty (30) days notice prior to cancellation or modification of any stipulated insurance. Such notification will be in writing by registered mail, return receipt requested and addressed to the Risk Manager (P.O. BOX 398 Ft. Myers, FL 33902).

3. Special Requirements:

a. It is the responsibility of the general contractor to insure that all subcontractors comply with all insurance requirements.

Hold Harmless and Indemnity Clause

To the fullest extent permitted by applicable law, Contractor shall protect, defend, indemnify, save and hold the County, the Board of County Commissioners, its agents, officials, and employees harmless from and against any and all claims, demands, fines, loss or destruction of property, liabilities, damages, for claims based on the negligence, misconduct, or omissions of the Contractor resulting from the Contractor's work as further described in this contract, which may arise in favor of any person or persons resulting from the Contractor's performance or non-performance of its obligations under this contract except any damages arising out of personal injury or property claims from third parties caused solely by the negligence, omission(s) or willful misconduct of the County, its officials, commissions, employees or agents, subject to the limitations as set out in Florida general law, Section 768.28, Florida Statutes, as amended. Further, Contractor hereby agrees to indemnify the County for all reasonable expenses and attorney's fees incurred by or imposed upon the County in connection therewith for any

loss, damage, injury or other casualty. Contractor additionally agrees that the County may employ an attorney of the County's own selection to appear and defend any such action, on behalf of the County, at the expense of the Contractor. The Contractor further agrees to pay all reasonable expenses and attorney's fees incurred by the County in establishing the right to indemnity.

LEE COUNTY PURCHASING - BIDDERS CHECK LIST

IMPORTANT: Please read carefully and return with your bid proposal.

Please check off each of the following items as the necessary action is completed:

- 1. The Quote has been signed.
- 2. The Quote prices offered have been reviewed.
- 3. The price extensions and totals have been checked.
- 4. The original (must be manually signed) and 2 copies of the quote have been submitted.
- 5. Three (3) identical sets of descriptive literature, brochures and/or data (if required) have been submitted under separate cover.
- 6. All modifications have been acknowledged in the space provided.
- 7. All addendums issued, if any, have been acknowledged in the space provided.
- 8. Erasures or other changes made to the quote document have been initialed by the person signing the quote.
- 9. Bid Bond and/or certified Check, (if required) have been submitted with the quote in amounts indicated.
- 10. Any Delivery information required is included.

- 11. The mailing envelope has been addressed to:

MAILING ADDRESS Lee County Purchasing P.O. Box 398 or Ft. Myers, FL 33902-0398	PHYSICAL ADDRESS Lee County Purchasing 1825 Hendry St 3 rd Floor Ft. Myers, FL 33901
---	---

- 12. The mailing envelope **MUST** be sealed and marked with:
 Quote Number
 Opening Date and/or Receiving Date

- 13. The quote will be mailed or delivered in time to be received no later than the specified opening date and time. (Otherwise quote cannot be considered or accepted.)

- 14. If submitting a "NO BID" please write quote number here _____ and check one of the following:
 _____ Do not offer this product _____ Insufficient time to respond.
 _____ Unable to meet specifications (why)
 _____ Unable to meet bond or insurance requirement.
 Other: _____

Company Name and Address:

DUMONT

March 8, 2006

Lee County - Purchasing Division
1825 Hendry St, 3rd Floor
Fort Myers, FL 33901

RE: Quote #IW0602532 – Hydrofluosilicic Acid 23%

In accordance with your specification please accept this letter to inform you that we have had no reportable incidents of any sort within the past five years at any of our facilities. In addition, we have never had a contract terminated early due to poor service or other reasons for any products that we supply.

In addition, we certify that the product we are bidding meets all the requirements of ANSI/NSF Standard 60 for drinking water and as delivered meets all the requirements of the Florida Administrative Code for drinking water plants.

If you have any other questions, please feel free to give me a call. We look forward to continuing our service to you.

Sincerely,



Ronald H. Cartwright
President

DUMONT

FAX

TO: Judy Cheves FROM: Ron Cartwright
FAX: 239-344-5460 DATE: 3/24/6
PAGES: 9(including cover page)


Judy,

Here is the MSDS sheet on HFS you have requested.

Thanking you in advance.



Shrieve Chemical Company
Manufacturer's Safety Data Sheet
CHEMTREC 800-424-9300
24-HOUR EMERGENCY ASSISTANCE 800-367-4226
SHRIEVE CHEMICAL COMPANY 800-367-4226
GENERAL MSDS ASSISTANCE 281-367-4226 ext.111
TECHNICAL MSDS ASSISTANCE 281-367-4226 ext.133



For 24 Hour
Emergency
Assistance
Call:



800-424-9300


NFPA Ratings (Scale 0-4)
Health=3; Fire=0; Reactivity=1

MATERIAL SAFETY DATA SHEET

This information is provided for your protection by:

Shrieve Chemical Company
1755 Woodstead Court
The Woodlands, TX 77380-1448
281.367.4226

24 Hour Emergency Assistance:
Chemtrec: 800.424.9300



Shrieve Chemical Company
Manufacturer's Safety Data Sheet

CHEMTREC 800-424-9300
24-HOUR EMERGENCY ASSISTANCE 800-367-4226

SHRIEVE CHEMICAL COMPANY 800-367-4226
 GENERAL MSDS ASSISTANCE 281-367-4226 ext.111
 TECHNICAL MSDS ASSISTANCE 281-367-4226 ext.133

Fluorosilicic Acid

Section I	Product Name and Description
Section II	Personal Protection Information
Section III	Health Information
Section IV	Emergency and First Aid Procedures
Section V	Ingredients
Section VI	Physical Data
Section VII	Reactivity
Section VIII	Fire and Explosion Hazards
Section IX	Storage and Special Precautions
Section X	Transportation Requirements
Section XI	Emergency Action - Spill or Leak

Section I

PRODUCT NAME AND DESCRIPTION

DOT Chemical Name:	Fluorosilicic Acid	
Synonyms:	Hydrofluosilicic Acid, Fluosilicic Acid, Hexafluosilicic Acid	
Chemical Family:	Inorganic Acid	Formula: H ₂ SiF ₆
CAS Number: 16961-83-4		NIOSH Number: V V 8225000

Note: N/A indicates Not Applicable where shown.

03/24/2006 FRI 9:56 FAX 813 5779

004/009

MAR 24, 2006 08:39

SHRIEVE CHEMICAL GRP

FROM SUE TO ELAINE

PAGE 3 OF 8



Shrieve Chemical Company
Manufacturer's Safety Data Sheet

CHEMTREC 800-424-9300
24-HOUR EMERGENCY ASSISTANCE 800-367-4226

SHRIEVE CHEMICAL COMPANY 800-367-4226
 GENERAL MSDS ASSISTANCE 281-367-4226 ext.111
 TECHNICAL MSDS ASSISTANCE 281-367-4226 ext.133

Section II

PERSONAL PROTECTION INFORMATION

Respiratory Protection: A NIOSH approved cartridge respirator with full-face shield. Chemical cartridge should provide protection against acid fumes (Hydrogen Fluoride). For concentrations greater than 20ppm, a NIOSH approved self-contained breathing apparatus with full-face shield should be used.

Eye and Face Protection: Use tight-fitting chemical splash goggles and a full-face shield, 8 inch minimum. Contact lenses should not be worn.

Hand, Arm and Body Protection: Prevent contact with skin by use of acid-proof clothing, gloves and shoes. Use a NIOSH approved acid proof suit and boots where liquid or high vapor concentration is possible.

Other Protective Clothing and Equipment: Eye wash and emergency shower facilities should be available in handling area.

Engineering Controls: General or local exhaust systems sufficient to maintain vapors below 2.5 mg/m³ (as F).

Section III

HEALTH INFORMATION

OSHA Permissible Exposure Limit (PEL): 2.5mg/m³(as F)

ACGIH Threshold Limit Value (TLV): 2.5mg/m³(as F)


Listing in the following:

Department of Transportation Hazardous Material Regulations (49CFR)
 Massachusetts Hazardous Substance List
 toxic Substances Control Act Inventory of toxic Substances (TSCA)

OSHA Health Hazard Classification: Corrosive

Primary Route(s) of Entry: Eye and skin contact, inhalation

Symptoms of Exposure:



Shrieve Chemical Company
Manufacturer's Safety Data Sheet
CHEMTREC 800-424-9300
24-HOUR EMERGENCY ASSISTANCE 800-367-4226
SHRIEVE CHEMICAL COMPANY 800-367-4226
GENERAL MSDS ASSISTANCE 281-367-4226 ext.111
TECHNICAL MSDS ASSISTANCE 281-367-4226 ext.133

Acute: Liquid or vapors can cause severe irritation and burns which may not be apparent for hours. Can cause severe irritation to the lungs, nose and throat if swallowed, can cause severe damage to throat and stomach.

Chronic: Prolonged exposure could result in bone changes, corrosive effect on mucous membranes including ulceration of nose, throat and bronchial tubes, cough, shock, pulmonary edema, Fluorosis, coma and death.

Aggravated Medical Condition: Any skin condition and/or pre-existing respiratory disease including asthma and emphysema.

Toxic Data: LD₅₀200 mg/kg (Oral - Guinea Pig)

Section IV

EMERGENCY AND FIRST AID PROCEDURES


Inhalation: Remove exposed person to an uncontaminated area immediately. If breathing has stopped, start artificial respiration at once. Oxygen should be provided for an exposed person having difficulty breathing (but only by an authorized person) until exposed person is able to breathe easily by themselves. Exposed person should be examined by a physician.

Eye Contact: Flush eyes for at least 15 minutes with large amounts of water. Eyelids should be held apart during the flushing to insure contact of water with all accessible tissue of the eyes and lids. Medical attention should be given as soon as possible.

Skin Contact: Exposed person should be removed to an uncontaminated area and subjected immediately to a drenching shower of water for a minimum of 15 to 20 minutes. Remove all contaminated clothing while under shower. Medical attention should be given as soon as possible for all burns, regardless of how minor they seem.

Ingestion: If conscious, give the exposed person large quantities of water immediately to dilute the acid. Do **NOT** induce vomiting. Milk may be given for its soothing effect. A physician should be contacted immediately.

Note to Physician: Beware of late onset of pulmonary edema for up to 48 hours. Treat severe burns similar to Hydrofluoric Acid exposure.



Shrieve Chemical Company
Manufacturer's Safety Data Sheet
CHEMTREC 800-424-9300
24-HOUR EMERGENCY ASSISTANCE 800-367-4226
SHRIEVE CHEMICAL COMPANY 800-367-4226
GENERAL MSDS ASSISTANCE 281-367-4226 ext. 111
TECHNICAL MSDS ASSISTANCE 281-367-4226 ext. 133

Section V

INGREDIENTS

Composition	Percentage
H ₂ SiF ₆	25.0 +/- 2%
H ₂ O	75.0 +/- 2%

Section VI

PHYSICAL DATA

Boiling Point: 222°F (105°C)	Freezing Point: 4°F(-15.5°C)
Specific Gravity(H ₂ O=1): 1.234 @ 25%	Vapor Pressure(mm Hg): 24 @ 77° F
Percent Volatile by Volume: N/A	Vapor Density (Air=1): N/A
Solubility in Water: Complete	Evaporation Rate: N/A
Physical State: Fuming Liquid	Molecular Weight: 144.08
Bulk Density: 10.29 lbs/gal @ 25%	pH (1% Solution): 1.2
Appearance and Odor: Water white to straw yellow, burning liquid, with pungent odor	

Section VII


REACTIVITY

Stability: Stable.

Hazardous Polymerization: Will not occur.

Conditions and Materials to Avoid: Metal, glass, stoneware, alkali and strong concentrated acids.

Hazardous Decomposition Products: When heated to decomposition (222°F) it emits highly toxic and corrosive fumes of Hydrogen Fluoride, Silicon Tetra-fluoride and Hydrogen Gas.



Shrieve Chemical Company
Manufacturer's Safety Data Sheet
CHEMTREC 800-424-9300
24-HOUR EMERGENCY ASSISTANCE 800-367-4226
SHRIEVE CHEMICAL COMPANY 800-367-4226
GENERAL MSDS ASSISTANCE 281-367-4226 ext.111
TECHNICAL MSDS ASSISTANCE 281-367-4226 ext.133

Section VIII

FIRE AND EXPLOSION HAZARDS

Flash Point and Method Used: N/A

Flammable Limits - % Volume in Air: Lower N/A Upper N/A

Extinguishing Media: Use agent which is appropriate for surrounding fire.

Special Fire Fighting Procedures and Precautions: Wear NIOSH approved self-contained acid suits.

Auto Ignition Temperature: N/A

Unusual Fire and Explosion Hazards: Reacts with many metals to produce flammable and explosive hydrogen gas. Keep container cool with water, using fog nozzles, as decomposition will occur above 222°F and produce toxic and corrosive fumes of fluoride.


Section IX

STORAGE AND SPECIAL PRECAUTIONS

Handling and Storing Precautions: Store in containers in cool, dry, well ventilated area away from sources of heat or ignition. Do NOT store in glass or stoneware. Use non-sparking tools. Keep separate from alkali metals, oxidizing agent, combustible solids and organic peroxides.

Ventilation: Provide adequate general and/or local exhaust to maintain vapors below 2.5 mg/m³ (as F).

Other Precautions: Do not inhale fumes and prevent skin contact. If pungent, irritating odor can be detected, workers are being over-exposed. Eye wash and safety shower should be available in all acid handling areas.



Shrieve Chemical Company

Manufacturer's Safety Data Sheet

CHEMTREC 800-424-9300
24-HOUR EMERGENCY ASSISTANCE 800-367-4226
SHRIEVE CHEMICAL COMPANY 800-367-4226
GENERAL MSDS ASSISTANCE 281-367-4226 ext.111
TECHNICAL MSDS ASSISTANCE 281-367-4226 ext.133

Section X

TRANSPORTATION REQUIREMENTS

DOT Proper Shipping Name: Fluorosilicic Acid
DOT Hazard Class: 8 (Corrosive)
Identification Number: UN 1778
EPA Hazardous Substance: No
RCRA Status of Unused Material if Discarded: Not Listed
Waste Disposal Method: Disposer must comply with federal, state and local disposal or discharge laws.
Additional Comments: For International transportation, Fluorosilicic Acid is regulated by the International Maritime Organization (IMO) and the International Air Transport Association (IATA) for vessel and air movement as a Class 8. Packaging, marking, labelling and shipping paper descriptions must precisely reflect the regulation for export movement.

Packing Group: II
Subsidiary Hazard Class: N/A
Placarding Requirement: Corrosive
Reportable Quantity: N/A


Section XI

EMERGENCY ACTION - SPILL OR LEAK

Emergency Action: Keep unnecessary people away. Stay upwind, keep out of low areas. Isolate hazard area and deny entry. We recommend that the user establish a spill prevention, control and countermeasure plan. This plan should include procedures for proper storage as well as containment and clean-up of spills and leaks. The procedures should conform to safe practices and provide for proper recovery and disposal in accordance with federal, state and local regulation. Contact Chemtrec at 1-800-424-9300 for 24-hour emergency assistance.

Small Spills: Any personnel in area should wear a NIOSH approved air supplied acid suit. Dike area to contain material. Do not allow solution to enter sewers or surface water. Neutralize the spill with water and lime (hydrated lime). Take up with sand or non-combustible absorbent material and place in containers for later disposal. Provide ventilation and be wary of hydrogen generation upon reaction with some metals. Contact Chemtrec at 1-800-424-9300 for 24-hour emergency assistance.

Large Spills: Contact Chemtrec at 1-800-424-9300 for 24-hour emergency assistance. Any personnel in area should wear a NIOSH approved air supplied acid suit. Dike area ahead of spill to contain material. Do not allow solution to enter sewers or surface water. Neutralize the spill with water and lime (hydrated lime). Provide ventilation and be wary of hydrogen generation upon reaction with some metals. Notify the National Response Center, if required.



Shrieve Chemical Company
Manufacturer's Safety Data Sheet
CHEMTREC 800-424-9300
24-HOUR EMERGENCY ASSISTANCE 800-367-4226
SHRIEVE CHEMICAL COMPANY 800-367-4226
GENERAL MSDS ASSISTANCE 281-367-4226 ext.111
TECHNICAL MSDS ASSISTANCE 281-367-4226 ext.133

DISCLAIMER

The information presented herein is based on data considered to be accurate and that reflects the requirements of the OSHA Hazard Communication Standards in effect as of the date of preparation of this Material Safety Data Sheet. However, no warranty or representation, express or implied, is made as to the accuracy or completeness of the foregoing data and safety information. In addition, no responsibility can be assumed by vendor for any damage or injury resulting from abnormal use, from any failure to adhere to recommended practices, or from any hazards inherent in the nature of the product.

DUMONT

FAX

TO: Judy Cheves
Lee County

FROM: Debbie Shulman

FAX: 239-344-5460


DATE: March 23, 2006

PAGES: 2(including cover page)

Dear Ms. Cheves,

Attached is the NSF sheet for the HFS which we will use to deliver to Lee County sites. I am presently waiting for an updated MSDS sheet from the manufacturer and will forward it to you as soon I receive it. If you need any additional information, please give me a call.

Debbie Shulman
1-800-330-1369




Shrieve Chemical Company
Manufacturer's Safety Data Sheet

CHEMTREC 800-424-9300
24-HOUR EMERGENCY ASSISTANCE 800-367-4226
 SHRIEVE CHEMICAL COMPANY 800-367-4226
 GENERAL MSDS ASSISTANCE 281-367-4226 ext.111
 TECHNICAL MSDS ASSISTANCE 281-367-4226 ext.133

NSF Certified Products - Public Water Supply Treatment Chemicals

Page 1 of 2



NSF Product and Service Listings

These Listings were Last Updated on Thursday, March 16, 2006 at 4:15 AM Eastern Time. Please contact NSF International to confirm the status of any Listing, report errors, or make suggestions.

Warning: NSF is concerned about fraudulent downloading and manipulation of website text. If you have received this listing in hard copy, always confirm this certification/listing information by going directly to <http://www.nsf.org/Certified/PurChemicals/Listings.asp?Company=the+mosaic&> for the latest most accurate information.

NSF/ANSI STANDARD 60 Drinking Water Treatment Chemicals - Health Effects

THE MOSAIC COMPANY

2813 HIGHWAY 41 SOUTH
RIVERVIEW, FL 33569
813-671-6223

Facility : # 1 MULBERRY, FL

Fluosilicic Acid <i>Trade Designation</i> Hydrofluosilicic Acid, Commercial Grade	<i>Product Function</i> Fluoridation	<i>Max Use</i> 6.6 mg/L
Sulfuric Acid <i>Trade Designation</i> Sulfuric Acid	<i>Product Function</i> Corrosion & Scale Control	<i>Max Use</i> 50 mg/L

Facility : # 2 MULBERRY, FL

Sulfuric Acid <i>Trade Designation</i> Sulfuric Acid	<i>Product Function</i> Corrosion & Scale Control pH Adjustment	<i>Max Use</i> 50 mg/L
---	---	---------------------------

Facility : BARTOW, FL

Fluosilicic Acid <i>Trade Designation</i> Fluosilicic Acid	<i>Product Function</i> Fluoridation	<i>Max Use</i> 6mg/L
---	---	-------------------------

<http://www.nsf.org/Certified/PurChemicals/Listings.asp?CompanyName=the+mosaic&>

3/16/2006

MSDS Page 1 of 12

Cheves, Judith E.

From: Ron [ron.cartwright@dumontchemicals.com]

Sent: Wednesday, March 22, 2006 11:59 AM

To: Cheves, Judith E.

Subject: HFS Bid

Will Fax MSDS and NSF this morning. Please accept this e-mail as my certification that I will provide training as and when required. Thank you.

Ron Cartwright
President
The Dumont Company, Inc.
812 Eyrie Dr., Oviedo, FL 32765
800-330-1369 FAX: 800-524-9315
ron.cartwright@dumontchemicals.com

*I W 060253
bulk hydrofluoric acid
23%*